

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
100	91	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:55
111	11	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:59
112	5	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:01

113	5	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) same (model\$4 simulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:05
114	4	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same (stor\$3 memory database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:04
118	0	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same (stor\$3 memory database) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:04

119	0	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) same (model\$4 simulat\$4) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:05
120	2	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) same (model\$4 simulat\$4) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:06
121	2	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) with (model\$4 simulat\$4) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:06

122	2	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) near4 (model\$4 simulat\$4) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:07
123	8	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) near4 (model\$4 simulat\$4) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:07
126	0	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:08

127	0	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544" "6292830" "6429812" "4956790" "5526254" "6330495" "5615104" "5613913" "5738584" "6271857" "4831548" "5475613" "5692144" "4764179" "4851905" "4992962" "5267143" "5455765" "5615108" "5696673" "5721677" "5828566" "6268853" "5762983" "6088628" "5184051" "5219291" "5483630" "5687295" H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016" "5775998" "5313385" "5495576" "5616031" "5721691" "5724489").pn. and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/08/31 18:08		
128	0	700/264 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:11
129	0	700/245 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:11
130	1	901/\$ and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:12
131	0	700/259 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:12
132	0	700/182 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:12

133	0	700/161 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13
134	0	700/171 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13
135	0	700/247 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13
136	0	700/248 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13
137	0	700/249 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13
138	1	700/257 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:14
139	0	700/56 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:13

140	0	700/59 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:14
141	0	700/86 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:14
142	0	700/97 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:14
143	4	700/\$ and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:14
144	2	700/\$ and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:15
145	0	700/\$ and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:15
146	0	901/\$ and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:15

147	0	345/419 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:16
149	0	345/473 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:16
150	0	345/475 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:16
148	1	345/420 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:17
151	6	345/420 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:17
154	0	703/7 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:17
153	3	703/1 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:17

155	3	703/\$ and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:18
152	19	345/\$ and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:20
156	3	345/\$ and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:21
157	0	318/568.11 and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:21
158	0	715/502 and robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:22
159	5	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:25
160	18	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:24
163	15	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:25

166	15	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same ((stor\$3 memory database) and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:25
167	0	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same ((stor\$3 memory database) and (adjust\$4 modif\$)) and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:33
168	2	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same ((stor\$3 memory database) and (adjust\$4 modif\$))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:26
169	11	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) same ((stor\$3 memory database) and (adjust\$4 modif\$)) and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:32
170	5	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$)) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:44
175	19	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:45
176	5	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:51
177	0	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:46

178	3	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:46
179	0	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:48
180	3	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (adjust\$4 modif\$) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:49
181	6	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and select\$4 near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:50
182	18	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (stor\$3 memory database) near4 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:53